

	L #	Hits	Search Text
1	L1	156072	(email e-mail electronic message) with (creat\$3 generat\$3 execut\$4 select\$4)
2	L2	16828	(email e-mail electronic message) with (display\$3 view\$3 review\$30 read observ\$4 right authothriz\$5) with (only specific special)
3	L3	65447	(email e-mail electronic message) with (creat\$3 generat\$3 execut\$4 select\$4) with select\$4
4	L4	122	(email e-mail electronic message) with (display\$3 view\$3 review\$30 read observ\$4) with (privilege right authothriz\$5) with (only specific special)
5	L5	58	3 and 4
6	L6	7	3 and 4 and mime
7	L7	50	(email e-mail electronic message) with (display\$3 view\$3 review\$30 read observ\$4) with (privilege right authothriz\$5) with (only specific special) and ("1998" "1997" "1996" "1995" "1994" "1993").ay.
8	L8	0	7 and mime
9	L9	38	(email e-mail electronic message) with (creat\$3 generat\$3 execut\$4 select\$4) and 7
10	L10	28	(email e-mail electronic message) with select\$4 and 9
11	L11	9	(email e-mail electronic message) with select\$4 and 9 and encod\$4
12	L12	2162	(email e-mail electronic adj message) with select\$4
13	L13	3223	(email e-mail electronic adj message) with (creat\$3 generat\$3 execut\$4)
14	L15	1	12 and 13 and 14
15	L14	3	(email e-mail electronic adj message) with (display\$3 view\$3 review\$30 read observ\$4) with (privilege right authothriz\$5) with (only specific special)
16	L16	0	(email e-mail electronic adj message) with (privilege right authothriz\$5) with (only specific special).ab.

	L #	Hits	Search Text
17	L17	0	(email e-mail electronic adj message) with (privilege right authothriz\$5).ab.
18	L18	183	(email e-mail electronic adj message) with (privilege right authothriz\$5)
19	L19	40	(email e-mail electronic adj message) with (privilege right authothriz\$5)with (only specific special)
20	L22	96	(email e-mail electronic adj message teleconferenc\$3 videoconferenc\$3 video adj conferenc\$3) with (privilege right authori\$7)with (only specific special)
21	L23	1	21 and 22
22	L24	250	(email e-mail electronic adj message teleconferenc\$3 videoconferenc\$3 video adj conferenc\$3) same (privilege access adj right authori\$7)with (only specific special)
23	L25	0	21 and 24
24	L21	16	(email e-mail electronic adj message teleconfierenc\$3 videoconferenc\$3 video adj conferenc\$3) with (display\$3 view\$3 visual\$5 review\$3) with (two differnet other) adj2 (node manner display\$3 view\$3)
25	L26	15	(email e-mail electronic adj message teleconfierenc\$3 videoconferenc\$3 video adj conferenc\$3) with (display\$3 view\$3 visual\$5 review\$3) with (two differnet other) adj2 (node manner display\$3 view\$3) and only
26	L27	8	(email e-mail electronic adj message) same (display\$3 view\$3 visual\$5 review\$3) with (two different other) adj2 (node manner display\$3 view\$3) same only
27	L28	292	(select\$4 creat\$3 generat\$3 inital\$4) with (email e-mail electronic adj message) and (display\$3 view\$3 visual\$5 review\$3) with (two different other) with (specific special unique authoriz\$5 only grant)

	L #	Hits	Search Text
28	L29	6	(select\$4 creat\$3 generat\$3 inital\$4) with (email e-mail electronic adj message).ab. and (display\$3 view\$3 visual\$5 review\$3) with (two different other) with (specific special unique authoriz\$5 only grant)
29	L30	95	(select\$4 creat\$3 generat\$3 inital\$4) with (email e-mail electronic adj message).ab. and (display\$3 view\$3 visual\$5 review\$3) with (two different specific special unique authoriz\$5 only grant)
30	L31	31	(creat\$3 generat\$3 inital\$4) with (email e-mail electronic adj message).ab. and (display\$3 view\$3 visual\$5 review\$3) with (two different specific special unique authoriz\$5 only grant) and select\$4 near3 (email e-mail electronic adj message)
31	L32	12	(creat\$3 generat\$3 inital\$4) with (email e-mail electronic adj message).ab. and (display\$3 view\$3 visual\$5 review\$3) with (two different specific special unique authoriz\$5 only grant) and select\$4 near3 (email e-mail electronic adj message) and (encod\$3 encrypt\$3 mime)
32	L33	12	(creat\$3 generat\$3 inital\$4) with (email e-mail electronic adj message).ab. and (display\$3 view\$3 visual\$5 review\$3) with (two different specific special unique authoriz\$5 only grant) and select\$4 near3 (email e-mail electronic adj message) and (encod\$3 encrypt\$3 mime) and (author\$7 permi\$5 allow access adj right)
33	L34	12	(email e-mail electronic adj message) with (display\$3 view\$3 review\$30 read observ\$4 access assign\$3 creat\$3 generat\$3 execut\$4) with (privilege access adj right authothriz\$5 grant) and ("1998" "1997" "1996" "1995" "1994" "1993").ay.

	L #	Hits	Search Text
34	L35	372	(select\$4 creat\$3 generat\$3 inital\$4) adj3 (email e-mail electronic adj message) and (display\$3 view\$3 visual\$5 review\$3)adj3 (email e-mail electronic adj message) and (two different specific special unique authoriz\$5 only grant)with (email e-mail electronic adj message)
35	L36	305	(select\$4 creat\$3 generat\$3 inital\$4) adj3 (email e-mail electronic adj message) and (display\$3 view\$3 visual\$5 review\$3)adj3 (email e-mail electronic adj message) and (two different specific special unique authoriz\$5 only grant) near3 (email e-mail electronic adj message)
36	L37	0	36 and 4 and mime
37	L38	196	(email e-mail electronic adj message).ab. and 36
38	L39	90	(email e-mail electronic adj message).ab. and 36 and (encod\$3 encrypt\$3)
39	L40	40	39 and mime
40	L41	21	39 and mime and (mode access adj right)
41	L42	8	39 and mime and (mode access adj right) and author\$6
42	L43	9	(select\$4 creat\$3 generat\$3 inital\$4) adj3 (email e-mail electronic adj message) with (access adj right permi\$6 authoriz\$5 only grant) and (display\$3 view\$3 visual\$5 review\$3)adj3 (email e-mail electronic adj message) with (access adj right permi\$6 authoriz\$5 only grant)

	Hits	Search Text
1	217820	(display\$3 view\$3) same (mode pattern\$3)
2	3193	(email mail electronic adj message).ab.
3	144144	(display\$3 view\$3) with (mode pattern\$3)
4	252	((email mail electronic adj message).ab.) and ((display\$3 view\$3) with (mode pattern\$3))
5	14419	(display\$3 view\$3) with (two second different) adj3 (mode pattern\$3 tool)
6	25	((email mail electronic adj message).ab.) and ((display\$3 view\$3) with (two second different) adj3 (mode pattern\$3 tool))
7	20	((email mail electronic adj message).ab.) and ((display\$3 view\$3) with (two second different) adj3 (mode pattern\$3 tool))) and (subset folder box mailbox)
8	7707	(first two different all) adj3 (message attachment mode pattern\$3 tool) with second adj3 (tool set state mode pattern display\$3 view\$3 see\$3) with (part\$3 portion only subset)
9	8	((email mail electronic adj message).ab.) and ((first two different all) adj3 (message attachment mode pattern\$3 tool) with second adj3 (tool set state mode pattern display\$3 view\$3 see\$3) with (part\$3 portion only subset))
10	23248	(first two different all) same (message attachment mode pattern\$3 tool) same second adj3 (tool set state mode pattern display\$3 view\$3 see\$3) same (part\$3 portion only subset)
11	58	((email mail electronic adj message).ab.) and ((first two different all) same (message attachment mode pattern\$3 tool) same second adj3 (tool set state mode pattern display\$3 view\$3 see\$3) same (part\$3 portion only subset))
12	871	(display\$3 view\$3 see select\$4) with first with (all directory mailbox)

	Hits	Search Text
13	112625	(display\$3 view\$3 see select\$4) with second with (part\$2 portion subdirectory subset)
14	12	((email mail electronic adj message).ab.) and ((display\$3 view\$3 see select\$4) with first with (all directory mailbox)) and ((display\$3 view\$3 see select\$4) with second with (part\$2 portion subdirectory subset))
15	42629	(decod\$3 decrypt\$3 decompress\$3 translat\$3 transcod\$3 conver\$4 inteprpret\$5 reformat\$4) with (client user subscriber customer)
16	13546	(decod\$3 decrypt\$3 decompress\$3 translat\$3 transcod\$3 conver\$4 inteprpret\$5 reformat\$4) with (client user subscriber customer remote network) adj3 (computer machine node terminal station workstation device unit)
17	279393	(display\$3 view\$3) adj10 (different\$2 alter\$8)
18	38	((email mail electronic adj message).ab.) and ((decod\$3 decrypt\$3 decompress\$3 translat\$3 transcod\$3 conver\$4 inteprpret\$5 reformat\$4) with (client user subscriber customer remote network) adj3 (computer machine node terminal station workstation device unit)) and ((display\$3 view\$3) adj10 (different\$2 alter\$8))
19	31421	(decod\$3 decrypt\$3 decompress\$3 translat\$3 transcod\$3 conver\$4 inteprpret\$5 reformat\$4) near3 (client user subscriber customer remote network)

	Hits	Search Text
20	32	((email mail electronic adj message).ab.) and ((decod\$3 decrypt\$3 decompress\$3 translat\$3 transcod\$3 conver\$4 inteprpret\$5 reformat\$4) with (client user subscriber customer remote network) adj3 (computer machine node terminal station workstation device unit)) and ((display\$3 view\$3) adj10 (different\$2 alter\$8))) and ((decod\$3 decrypt\$3 decompress\$3 translat\$3 transcod\$3 conver\$4 inteprpret\$5 reformat\$4) near3 (client user subscriber customer remote network))
21	23	((email mail electronic adj message).ab.) and ((decod\$3 decrypt\$3 decompress\$3 translat\$3 transcod\$3 conver\$4 inteprpret\$5 reformat\$4) with (client user subscriber customer remote network) adj3 (computer machine node terminal station workstation device unit)) and ((display\$3 view\$3) adj10 (different\$2 alter\$8))) and ((decod\$3 decrypt\$3 decompress\$3 translat\$3 transcod\$3 conver\$4 inteprpret\$5 reformat\$4) near3 (client user subscriber customer remote network)) not ("1999" "2000" "2001" "2002" "2003").ay.
22	19583	(decod\$3 decrypt\$3 decompress\$3 translat\$3 transcod\$3 conver\$4 inteprpret\$5 reformat\$4) adj3 (client user subscriber customer remote network)

	Hits	Search Text
23	13	(((((email mail electronic adj message).ab.) and ((decod\$3 decrypt\$3 decompress\$3 translat\$3 transcod\$3 conver\$4 inteprpret\$5 reformat\$4) with (client user subscriber customer remote network) adj3 (computer machine node terminal station workstation device unit)) and ((display\$3 view\$3) adj10 (different\$2 alter\$8))) and ((decod\$3 decrypt\$3 decompress\$3 translat\$3 transcod\$3 conver\$4 inteprpret\$5 reformat\$4) near3 (client user subscriber customer remote network)) not ("1999" "2000" "2001" "2002" "2003").ay.) and ((decod\$3 decrypt\$3 decompress\$3 translat\$3 transcod\$3 conver\$4 inteprpret\$5 reformat\$4) adj3 (client user subscriber customer remote network))
24	2	((("6230188") or ("6092114"))).PN.
25	2	((("6230188") or ("6092114"))).PN.) and (generat43 creat\$3 send\$3 writ\$4) with (email mail electronic adj messag\$3)
26	1	((("6230188") or ("6092114"))).PN.) and mime
27	2	((("6230188") or ("6092114"))).PN.) and display\$3
28	60	(email electronic adj (mail message)).ab. and display\$3 adj10 different\$2
29	0	select\$4 adj10 all with (only particular\$2 portion part) same (email electronic adj (mail message))
30	336	select\$4 with (only particular\$2 portion part) same (email electronic adj (mail message))
31	17	((email electronic adj (mail message)).ab. and display\$3 adj10 different\$2) and (select\$4 with (only particular\$2 portion part) same (email electronic adj (mail message)))
32	0	(709/200.03).CCLS.
33	0	((("6230188") or ("6092114"))).PN.) and (two adj way bidirection\$2)

	Hits	Search Text
34	0	((("6230188") or ("6092114")).PN.) and (two adj way interact\$3 bidirection\$2)
35	343	(email electronic adj (mail message)).ab. and (two adj way interact\$3 bidirection\$2)
36	43	((email electronic adj (mail message)).ab. and display\$3 adj10 different\$2) and ((email electronic adj (mail message)).ab. and (two adj way interact\$3 bidirection\$2))
37	7	((email electronic adj (mail message)).ab. and display\$3 adj10 different\$2) and ((email electronic adj (mail message)).ab. and (two adj way interact\$3 bidirection\$2))) and mime
38	108	(email electronic adj (mail message)).ab. and (two adj way bi adj direction bidirection\$2)
39	9	((email electronic adj (mail message)).ab. and display\$3 adj10 different\$2) and ((email electronic adj (mail message)).ab. and (two adj way bi adj direction bidirection\$2))
40	162	(email electronic adj (mail message)and (two adj way interact\$3 bidirection\$2)).ab.
41	22	((email electronic adj (mail message)).ab. and display\$3 adj10 different\$2) and ((email electronic adj (mail message)and (two adj way interact\$3 bidirection\$2)).ab.)
42	22	((email electronic adj (mail message)and (two adj way interact\$3 bidirection\$2)).ab.) and display\$3 adj10 different\$2
43	1	((("6230188") or ("6092114")).PN.) and (encod\$3 encrypt\$3 compress\$3 conver\$4)
44	100	(email electronic adj (mail message)).ab. and (two adj way interact\$3 bidirection\$2) and(encod\$3 encrypt\$3 compress\$3) and (decod\$3 decrypt\$3 decompress\$3)
45	26	(email electronic adj (mail message)).ab. and (two adj way bi adj direction bidirection\$2) and (encod\$3 encrypt\$3 compress\$3) same (decod\$3 decrypt\$3 decompress\$3)

	Hits	Search Text
46	7	((email electronic adj (mail message)).ab. and (two adj way bi adj direction bidirection\$2) and (encod\$3 encrypt\$3 compress\$3) same (decod\$3 decrypt\$3 decompress\$3)) and mime
47	27	(email electronic adj (mail message)).ab. and (bi adj direction\$2 bidirection\$2) and (encod\$3 encrypt\$3 compress\$3) same (decod\$3 decrypt\$3 decompress\$3)
48	6	((email electronic adj (mail message)).ab. and (bi adj direction\$2 bidirection\$2) and (encod\$3 encrypt\$3 compress\$3) same (decod\$3 decrypt\$3 decompress\$3)) and mime
49	2	(email electronic adj (mail message)).ab. and (bi adj direction\$2 bidirection\$2) and (encod\$3 encrypt\$3 compress\$3) same (decod\$3 decrypt\$3 decompress\$3) same (automatic\$4 dynamic\$4 intelligent\$2)
50	11	(email electronic adj (mail message)).ab. and (encod\$3 encrypt\$3 compress\$3) with (automatic\$4 dynamic\$4 intelligent\$2) same (decod\$3 decrypt\$3 decompress\$3)
51	9	(email electronic adj (mail message)).ab. and (encod\$3 encrypt\$3 compress\$3) with (automatic\$4 dynamic\$4 intelligent\$2) with (decod\$3 decrypt\$3 decompress\$3)
52	2	(email electronic adj (mail message)) same (encod\$3 encrypt\$3 compress\$3) with (automatic\$4 dynamic\$4 intelligent\$2) with (decod\$3 decrypt\$3 decompress\$3)

	L #	Hits	Search Text	DBs	Time Stamp
1	L3	217820	(display\$3 view\$3) same (mode pattern\$3)	USPAT	2003/06/25 12:23
2	L4	3193	(email mail electronic adj message).ab.	USPAT	2003/06/25 13:48
3	L5	144144	(display\$3 view\$3) with (mode pattern\$3)	USPAT	2003/06/25 13:45
4	L6	252	4 and 5	USPAT	2003/06/25 13:48
5	L7	14419	(display\$3 view\$3) with (two second different) adj3 (mode pattern\$3 tool)	USPAT	2003/06/25 12:40
6	L8	25	4 and 7	USPAT	2003/06/25 12:50
7	L9	20	8 and (subset folder box mailbox)	USPAT	2003/06/25 12:33
8	L10	7707	(first two different all) adj3 (message attachment mode pattern\$3 tool) with second adj3 (tool set state mode pattern display\$3 view\$3 see\$3) with (part\$3 portion only subset)	USPAT	2003/06/25 12:56
9	L11	8	4 and 10	USPAT	2003/06/25 13:45
10	L12	23248	(first two different all) same (message attachment mode pattern\$3 tool) same second adj3 (tool set state mode pattern display\$3 view\$3 see\$3) same (part\$3 portion only subset)	USPAT	2003/06/25 13:02
11	L13	58	4 and 12	USPAT	2003/06/25 13:34
12	L14	871	(display\$3 view\$3 see select\$4) with first with (all directory mailbox)	USPAT	2003/06/25 13:47
13	L15	112625	(display\$3 view\$3 see select\$4) with second with (part\$2 portion subdirectory subset)	USPAT	2003/06/25 13:51
14	L16	12	4 and 14 and 15	USPAT	2003/06/25 14:11
15	L17	42629	(decod\$3 decrypt\$3 decompress\$3 translat\$3 transcod\$3 conver\$4 inteprrpret\$5 reformat\$4) with (client user subscriber customer)	USPAT	2003/06/25 14:08

	L #	Hits	Search Text	DBs	Time Stamp
16	L18	13546	(decod\$3 decrypt\$3 decompress\$3 translat\$3 transcod\$3 conver\$4 inteprrpret\$5 reformat\$4) with (client user subscriber customer remote network) adj3 (computer machine node terminal station workstation device unit)	USPAT	2003/06/25 14:19
17	L19	279393	(display\$3 view\$3) adj10 (different\$2 alter\$8)	USPAT	2003/06/25 14:13
18	L20	38	4 and 18 and 19	USPAT	2003/06/25 14:14
19	L21	31421	(decod\$3 decrypt\$3 decompress\$3 translat\$3 transcod\$3 conver\$4 inteprrpret\$5 reformat\$4) near3 (client user subscriber customer remote network)	USPAT	2003/06/25 14:23
20	L22	32	20 and 21	USPAT	2003/06/25 14:21
21	L23	23	20 and 21 not ("1999" "2000" "2001" "2002" "2003").ay.	USPAT	2003/06/25 14:21
22	L24	19583	(decod\$3 decrypt\$3 decompress\$3 translat\$3 transcod\$3 conver\$4 inteprrpret\$5 reformat\$4) adj3 (client user subscriber customer remote network)	USPAT	2003/06/25 14:25
23	L26	13	23 and 24	USPAT	2003/06/25 14:25

	L #	Hits	Search Text	DBs	Time Stamp
1	L1	3180	(electronic adj (mail message) mail email).ab.	USPAT	2003/06/13 11:32
2	L2	266084	(display\$3 view\$3) with (different alternative)	USPAT	2003/06/13 11:34
3	L3	172	1 and 2 and (mailbox\$3 subset folder)	USPAT	2003/06/13 11:34
4	L4	47	1 and 2 and mailbox\$3 and (subset folder)	USPAT	2003/06/13 11:35
5	L5	25	4 and authori\$6	USPAT	2003/06/13 11:35
6	L6	37	4 and (authori\$6 permi\$6 access near3 right)	USPAT	2003/06/13 11:36
7	L7	19	6 not ("1999" "2000" "2001" "2002" "2003").ay.	USPAT	2003/06/13 11:38
8	L8	12	7 and (interact\$5 bidirect\$5 two adj way)	USPAT	2003/06/13 11:40
9	L9	103207	select\$4 with mode	USPAT	2003/06/13 11:41
10	L10	40	3 and 9	USPAT	2003/06/13 11:41
11	L11	3	8 and 10	USPAT	2003/06/13 11:41

	Hits	Search Text
1	1286	(sender author creator creator initiator) with (recipient receiver enduser) with (interact\$7 communicat\$3 birection\$2)
2	1109	(email e-mail electronic adj (mail message)).ab.
3	75	((sender author creator creator initiator) with (recipient receiver enduser) with (interact\$7 communicat\$3 birection\$2)) and ((email e-mail electronic adj (mail message)).ab.)
4	18	((sender author creator creator initiator) with (recipient receiver enduser) with (interact\$7 communicat\$3 birection\$2)) and ((email e-mail electronic adj (mail message)).ab.)) and (encod\$3 encrypt\$3) with (decrypt\$3 decod\$3)
5	61	((sender author creator creator initiator) with (recipient receiver enduser) with (interact\$7 communicat\$3 birection\$2)) and ((email e-mail electronic adj (mail message)).ab.)) and (all list whole group directory mailbox folder) same (portion message each part particular\$2 specific\$4 some)
6	17	((sender author creator creator initiator) with (recipient receiver enduser) with (interact\$7 communicat\$3 birection\$2)) and ((email e-mail electronic adj (mail message)).ab.)) and (encod\$3 encrypt\$3) with (decrypt\$3 decod\$3)) and (((sender author creator creator initiator) with (recipient receiver enduser) with (interact\$7 communicat\$3 birection\$2)) and ((email e-mail electronic adj (mail message)).ab.)) and (all list whole group directory mailbox folder) same (portion message each part particular\$2 specific\$4 some))

	L #	Hits	Search Text
1	L1	1884	(mail email (instant electronic short) adj2 messag\$3) same (author\$7 authenticat\$3 secur\$4 restrict\$3 personal privat\$7) same (customiz\$5 select\$4)
2	L2	2	(mail email (instant electronic short) adj2 messag\$3) same (author\$7 authenticat\$3 secur\$4 restrict\$3 personal privat\$7) same (customiz\$5 select\$4) same (two pair couple) adj2 (state mode condition\$2)
3	L3	2	(mail email (instant electronic short) adj2 messag\$3) same (author\$7 authenticat\$3 secur\$4 restrict\$3 personal privat\$7) same (customiz\$5 select\$4) same (two pair couple) adj2 (state mode condition\$2)
4	L5	79	(mail email (instant electronic short) adj2 messag\$3) same (author\$7 authenticat\$3 secur\$4 restrict\$3 personal privat\$7 read\$3 writ\$4) same (customiz\$5 select\$4) same (display\$3 view\$3 present\$5 visual\$7) with (state mode condition\$2)
5	L4	4	(mail email (instant electronic short) adj2 messag\$3) same (author\$7 authenticat\$3 secur\$4 restrict\$3 personal privat\$7 read\$3 writ\$4) same (customiz\$5 select\$4) same (two pair couple) adj2 (state mode condition\$2)
6	L6	2	(mail email (instant electronic short) adj2 messag\$3) same (author\$7 authenticat\$3 secur\$4 restrict\$3 personal privat\$7 read\$3 writ\$4) same (customiz\$5 select\$4) same (display\$3 view\$3 present\$5 visual\$7) with (state mode condition\$2) near3 (two more first with second)
7	L7	71	(mail email (instant electronic short) adj2 messag\$3) same (author\$7 authenticat\$3 secur\$4 restrict\$3 personal privat\$7 read\$3 writ\$4) and (customiz\$5 select\$4) same (display\$3 view\$3 present\$5 visual\$7) with (state mode condition\$2) near3 (two more first with second)
8	L8	3314	(mail email (instant electronic short) adj2 messag\$3) same (encod\$3 decod\$3 encrypt\$3 decrypt\$3)
9	L9	14	7 and 8